PAIN

Pain 108 (2004) 308–310

www.elsevier.com/locate/pain

Contents to Volume 108 (2004)

Numbers 1,2 – March 2004

EDITORIAL

Is intranasal ketamine an appropriate treatment for chronic non-cancer breakthrough pain?
R.F. Bell, E. Kalso (Norway, Finland) 1

TOPICAL REVIEW/EDITORIAL

Experimental approach to CRPS
W. Jänig, R. Baron (Germany) 3

RESEARCH PAPERS

Lowering fear-avoidance and enhancing function through exposure in vivo
A multiple baseline study across six patients with back pain
K. Boersma, S. Linton, T. Overmeer, M. Jansson, J. Vlaeyen, J. de Jong (Sweden, The Netherlands) 8
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study
D.B. Carr, L.C. Goudas, W.T. Denman, D. Brookoff, P.S. Staats, L. Brennen, G. Green, R. Albin, D. Hamilton, M.C. Rogers, L. Firestone, P.T. Lavin, F. Mermelstein (USA) 17
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception
H. Jia, Y.-F. Xie, D.-Q. Xiao, J.-S. Tang (China) 28
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial
A.J.A. Köke, J.S.A.G. Schouten, M.J.H. Lamerichs-Geelen, J.S.M. Lipsch, E.M.H. Waltje, M. van Kleef, J. Patijn (The Netherlands) 36
Effects of intensity and locus of painful stimulation on postural stability
P. Corbeil, J.-S. Blouin, N. Teasdale (Canada) 43
Topical clonazepam in stomatodynia: a randomised placebo-controlled study
C. Gremeau-Richard, A. Woda, M.L. Navez, N. Attal, D. Bouhassira, M.C. Gagnieu, J.F. Laluque, P. Picard, P. Pionchon, S. Tubert (France) 51
A quantitative somatosensory testing of pain threshold in individuals with mental retardation
R. Defrin, C.G. Pick, C. Peretz, E. Carmeli (Israel) 58
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression
A. Brack, H.L. Rittner, H. Machelska, M. Shaqura, S.A. Mousa, D. Labuz, C. Zöllner, M. Schäfer, C. Stein (Germany) 67
Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors
L.C. Seagrove, R. Suzuki, A.H. Dickenson (UK) 76
Psychological factors in pelvic/urogenital pain: the influence of site of pain versus sex
L.J. Heinberg, B.J. Fisher, U. Wesselmann, J. Reed, J.A. Haythornthwaite (USA) 88
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I
T.-Z. Guo, S.C. Offley, E.A. Boyd, C.R. Jacobs, W.S. Kingery (USA) 95
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition
S. Ashina, L. Bendtsen, R. Jensen (Denmark) 108
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population
S. Bergman, L.T.H. Jacobsson, P. Herrström, I.F. Petersson (Sweden) 115
The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex
N.J. Giffin, Z. Katsarava, A. Pfundstein, J. Ellrich, H. Kaube (UK, Germany) 124
Chronic pain patients are impaired on an emotional decision-making task
A.V. Apkarian, Y. Sosa, B.R. Krauss, P.S. Thomas, B.E. Fredrickson, R.E. Levy, R.N. Harden, D.R. Chialvo (USA) 129
Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications
J.A. Turner, J.D. Loeser, R.A. Deyo, S.B. Sanders (USA) 137
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans
W. Koppert, A. Wehrfritz, N. Körber, R. Sittl, S. Albrecht, J. Schüttler, M. Schmelz (Germany) 148
Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population
J. Eriksen, O. Ekholm, P. Sjøgren, N.K. Rasmussen (Denmark) 154

doi:10.1016/S0304-3959(04)00114-9

PAIN

Pain 108 (2004) 308–310

www.elsevier.com/locate/pain

Contents to Volume 108 (2004)

Numbers 1,2 – March 2004

EDITORIAL

Is intranasal ketamine an appropriate treatment for chronic non-cancer breakthrough pain?
R.F. Bell, E. Kalso (Norway, Finland) 1

TOPICAL REVIEW/EDITORIAL

Experimental approach to CRPS
W. Jänig, R. Baron (Germany) 3

RESEARCH PAPERS

Lowering fear-avoidance and enhancing function through exposure in vivo
A multiple baseline study across six patients with back pain
K. Boersma, S. Linton, T. Overmeer, M. Jansson, J. Vlaeyen, J. de Jong (Sweden, The Netherlands) 8
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study
D.B. Carr, L.C. Goudas, W.T. Denman, D. Brookoff, P.S. Staats, L. Brennen, G. Green, R. Albin, D. Hamilton, M.C. Rogers, L. Firestone, P.T. Lavin, F. Mermelstein (USA) 17
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception
H. Jia, Y.-F. Xie, D.-Q. Xiao, J.-S. Tang (China) 28
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial
A.J.A. Köke, J.S.A.G. Schouten, M.J.H. Lamerichs-Geelen, J.S.M. Lipsch, E.M.H. Waltje, M. van Kleef, J. Patijn (The Netherlands) 36
Effects of intensity and locus of painful stimulation on postural stability
P. Corbeil, J.-S. Blouin, N. Teasdale (Canada) 43
Topical clonazepam in stomatodynia: a randomised placebo-controlled study
C. Gremeau-Richard, A. Woda, M.L. Navez, N. Attal, D. Bouhassira, M.C. Gagnieu, J.F. Laluque, P. Picard, P. Pionchon, S. Tubert (France) 51
A quantitative somatosensory testing of pain threshold in individuals with mental retardation
R. Defrin, C.G. Pick, C. Peretz, E. Carmeli (Israel) 58
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression
A. Brack, H.L. Rittner, H. Machelska, M. Shaqura, S.A. Mousa, D. Labuz, C. Zöllner, M. Schäfer, C. Stein (Germany) 67
Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors
L.C. Seagrove, R. Suzuki, A.H. Dickenson (UK) 76
Psychological factors in pelvic/urogenital pain: the influence of site of pain versus sex
L.J. Heinberg, B.J. Fisher, U. Wesselmann, J. Reed, J.A. Haythornthwaite (USA) 88
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I
T.-Z. Guo, S.C. Offley, E.A. Boyd, C.R. Jacobs, W.S. Kingery (USA) 95
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition
S. Ashina, L. Bendtsen, R. Jensen (Denmark) 108
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population
S. Bergman, L.T.H. Jacobsson, P. Herrström, I.F. Petersson (Sweden) 115
The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex
N.J. Giffin, Z. Katsarava, A. Pfundstein, J. Ellrich, H. Kaube (UK, Germany) 124
Chronic pain patients are impaired on an emotional decision-making task
A.V. Apkarian, Y. Sosa, B.R. Krauss, P.S. Thomas, B.E. Fredrickson, R.E. Levy, R.N. Harden, D.R. Chialvo (USA) 129
Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications
J.A. Turner, J.D. Loeser, R.A. Deyo, S.B. Sanders (USA) 137
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans
W. Koppert, A. Wehrfritz, N. Körber, R. Sittl, S. Albrecht, J. Schüttler, M. Schmelz (Germany) 148
Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population
J. Eriksen, O. Ekholm, P. Sjøgren, N.K. Rasmussen (Denmark) 154

doi:10.1016/S0304-3959(04)00114-9

Antiallodynic effects of intrathecally administered 5-HT_{2C} receptor agonists in rats with nerve injury
H. Obata, S. Saito, S. Sakurazawa, M. Sasaki, T. Usui, F. Goto (Japan) 163
Pain during mammography: the role of coping strategies
A. Asghari, M.K. Nicholas (Iran, Australia) 170
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide
M. Chacur, E.D. Milligan, E.M. Sloan, J. Wieseler-Frank, R.M. Barrientos, D. Martin, S. Poole, B. Lomonte, J.M. Gutiérrez, S.F. Maier, Y. Cury, L.R. Watkins (Brazil, USA, UK, Costa Rica) 180
Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial
G.L. Moseley (Australia) 192

LETTERS TO THE EDITOR

Motor cortex stimulation for central and neuropathic pain (Letter regarding Topical Review by Brown and Barbaro)
V. Bonicalzi, S. Canavero (Italy) 199
Reply to Bonicalzi and Canavero's Letter
J. Brown (USA) 200
Evidence for heritability of pain in patients with traumatic neuropathy
M. Devor (Israel) 200
Response to letter by Devor
J. Bruce, W.C. Smith, W.A. Chambers (UK) 202

CLINICAL UPDATES 203

Number 3 – April 2004

EDITORIAL

Central pain: distributed effects of focal lesions
K.L. Casey (USA) 205
Toward an integrated model of pain over the life course
G.A. Walco (USA) 207

TOPICAL REVIEW

Communicating the experience of pain: the role of analogy
G.D. Schott (UK) 209

RESEARCH PAPERS

Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study
F. Willoch, F. Schindler, H.J. Wester, M. Empl, A. Straube, M. Schwaiger, B. Conrad, T.R. Tölle (Germany, Norway) 213
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents
C. Eccleston, G. Crombez, A. Scotford, J. Clinch, H. Connell (UK, Belgium) 221
Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin
M. Frot, J.S. Feine, M.C. Bushnell (Canada) 230
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain
J.A. Black, S. Liu, M. Tanaka, T.R. Cummins, S.G. Waxman (USA) 237
Development and validation of the Neuropathic Pain Symptom Inventory
D. Bouhassira, N. Attal, J. Fermanian, H. Alchaar, M. Gautron, E. Masquelier, S. Rostaing, M. Lanteri-Minet, E. Collin, J. Grisart, F. Boureau (France, Belgium) 248
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons
Y. Dai, T. Fukuoka, H. Wang, H. Yamanaka, K. Obata, A. Tokunaga, K. Noguchi (Japan) 258
Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?
R. Oelkers-Ax, S. Bender, U. Just, U. Pfüller, P. Parzer, F. Resch, M. Weisbrod (Germany) 267
Using the self-regulatory model to cluster chronic pain patients: the first step towards identifying relevant treatments?
N. Hobro, J. Weinman, M. Hankins (UK) 276
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study
R.C. Kupers, P. Svensson, T.S. Jensen (Denmark) 284

CLINICAL NOTE

Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma
C. Blunt, A. Schmiedel (UK) 294

LETTERS TO THE EDITOR

Pulsed percutaneous radiofrequency treatment of the Gasserian ganglion for therapy of trigeminal neuralgia: technical notes, validity of the method and selection of the patients
G. Orlandini (Italy) 297

Response to Orlandini's letter to the editor, regarding: Pulsed radio frequency treatment of the Gasserian ganglion
J. Van Zundert, S. Brabant, E. Van de Kelft, A. Vercruyssen, J.-P. Van Buyten (Belgium) 298

Author Index to Volume 108 300
Subject Index to Volume 108 303
Contents to Volume 108 308